

RR KABEL LIMITED
RRKL/CU-ARM-UAR/LP/07/22
w.e.f. 05th July, 2022
PRICE LIST
POWER CABLES (COPPER ARMoured / UNARMoured)

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

| (UNARMoured CABLES) (2XY) | | | | | | (ARMoured CABLES) (2XWY / 2XFY) | | | | | |
|-----------------------------|-----|-----|--------------|------|------|-----------------------------------|-----|-----|--------------|------|------|
| No. of Cores | 1.5 | 2.5 | No. of Cores | 1.5 | 2.5 | No. of Cores | 1.5 | 2.5 | No. of Cores | 1.5 | 2.5 |
| 2 | 112 | 161 | 14 | 509 | 914 | 2 | 152 | 208 | 14 | 615 | 961 |
| 3 | 141 | 226 | 16 | 612 | 1047 | 3 | 184 | 270 | 16 | 690 | 1091 |
| 4 | 182 | 296 | 19 | 733 | 1261 | 4 | 227 | 339 | 19 | 819 | 1308 |
| 5 | 223 | 355 | 24 | 928 | 1593 | 5 | 272 | 395 | 24 | 1025 | 1638 |
| 6 | 263 | 409 | 27 | 999 | 1960 | 6 | 320 | 477 | 27 | 1110 | 2036 |
| 7 | 304 | 474 | 30 | 1204 | 2194 | 7 | 357 | 522 | 30 | 1257 | 2365 |
| 8 | 383 | 537 | 37 | 1613 | 2576 | 8 | 435 | 590 | 37 | 1700 | 2752 |
| 10 | 446 | 671 | 44 | 1948 | 3016 | 10 | 492 | 740 | 44 | 2113 | 3315 |
| 12 | 460 | 812 | 61 | 2936 | 4294 | 12 | 540 | 850 | 61 | 3084 | 4720 |

| Size (Sq.mm) | (UNARMoured CABLES) (2XY) | | | | | (ARMoured CABLES) (2XWaY/2XFaY) (2XWY / 2XFY) | | | | | | | |
|--------------|-----------------------------|--------|--------|----------|--------|---|--------|--------|----------|--------|--------|--------|--------|
| | 1 Core | 2 Core | 3 Core | 3.5 Core | 4 Core | 1 Core | 2 Core | 3 Core | 3.5 Core | 4 Core | 5 Core | 6 Core | 7 Core |
| 4.0 | - | 232 | 330 | - | 402 | - | 273 | 366 | - | 461 | 576 | 710 | 802 |
| 6.0 | - | 329 | 468 | - | 569 | - | 373 | 506 | - | 652 | 793 | 956 | 1103 |
| 10.0 | - | 572 | 786 | - | 940 | - | 594 | 813 | - | 1038 | 1292 | - | - |
| 16.0 | 407 | 730 | 1122 | - | 1406 | 487 | 797 | 1170 | - | 1507 | 2010 | - | - |
| 25.0 | 643 | 1210 | 1685 | 1881 | 2205 | 737 | 1250 | 1782 | 2143 | 2348 | 3138 | - | - |
| 35.0 | 871 | 1662 | 2308 | 2640 | 3080 | 992 | 1748 | 2468 | 2800 | 3246 | 4364 | - | - |
| 50.0 | 1248 | 2278 | 3198 | 3771 | 4189 | 1394 | 2367 | 3400 | 3937 | 4482 | 5822 | - | - |
| 70.0 | 1736 | 3024 | 4554 | 5425 | 6377 | 1928 | 3272 | 4798 | 5640 | 6665 | - | - | - |
| 95.0 | 2364 | 4204 | 6483 | 7516 | 8362 | 2477 | 4455 | 6620 | 7552 | 8657 | - | - | - |
| 120.0 | 2959 | 5143 | 7627 | 9811 | 10528 | 3073 | 5312 | 8158 | 9970 | 11012 | - | - | - |
| 150.0 | 3639 | 6437 | 9687 | 11094 | 13025 | 3766 | 6651 | 10120 | 11500 | 13300 | - | - | - |
| 185.0 | 4509 | 7939 | 11965 | 14016 | 16533 | 4606 | 8233 | 12700 | 14830 | 16870 | - | - | - |
| 240.0 | 5807 | 10165 | 15868 | 18436 | 21305 | 5872 | 10607 | 16500 | 19080 | 21740 | - | - | - |
| 300.0 | 7304 | 12666 | 19371 | 22806 | 26328 | 7417 | 13434 | 20470 | 24000 | 27662 | - | - | - |
| 400.0 | 9603 | 16906 | 24797 | 28405 | 33156 | 9950 | 18275 | 27000 | 30900 | 35400 | - | - | - |
| 500.0 | 12224 | - | - | - | - | 12305 | - | - | - | - | - | - | - |
| 630.0 | 15389 | - | - | - | - | 15471 | - | - | - | - | - | - | - |
| 800.0 | 19491 | - | - | - | - | 19581 | - | - | - | - | - | - | - |
| 1000.0 | 24368 | - | - | - | - | 24614 | - | - | - | - | - | - | - |

Additional to be charged for Special Construction

| | | | | | | | |
|------------------------------------|------|--|--------------|--|-------|--------------|---|
| A) Tinning | 3% | G) HR PVC Insulation | 10% | As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables. | | | |
| B) Stranding (upto 6.0 Sq.mm) | 4% | H) HR PVC Inner Sheath | 7.5% | | | | |
| C) Extruded Inner Sheath | 4.0% | I) HR PVC Outer Sheath | 7.5% | | | | |
| D) Round Wire Armouring: | | J) FR-LSH Outer Sheath (Power Cables) | | | | | |
| 1. 1C x 95.0 Sq.mm & above | 9.0% | Upto 6.0 Sq.mm | 11.5% | | | | |
| 2. 12C x 1.5 Sq.mm & above | 18% | 10.0 Sq.mm & above | 6% | | | | |
| 3. 9C x 2.5 Sq.mm & above | 18% | K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath) | | * MOQ will be applicable for all Special Items | | | |
| 4. 4C x 10.0 Sq.mm & above | 18% | Cores | FR-LSH | | LSZH | | |
| 5. 2C x 16.0 & above | 18% | | Inner Sheath | | | Outer Sheath | Inner Sheath |
| 6. 3C x 16.0 & above | 18% | 2C to 4C | 7.5% | | 9% | 22.5% | 22.5% |
| E) Oxygen Index (FR) | 4.0% | 5C to 10C | 7.5% | 6% | 22.5% | 22.5% | * The above material will be supplied from our Waghodia Unit. |
| F) PVC Insulation (as per IS 1554) | 7.5% | 12C & above | 7.5% | 6% | 18.0% | 18.0% | |

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED
RRKL/AL-ARM-UAR/LP/07/22
w.e.f. 05th July, 2022
PRICE LIST
POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

| Size (in Sq.mm) | CORES / RATE PER METER (INR) | | | | | | | | | | |
|--------------------|------------------------------|------|------|------|------|--|------|------|------|------|---------|
| | (UNARMoured CABLES) (A2XY) | | | | | (ARMoured CABLES) A2XFaY) (A2XWY / A2XFY) | | | | | A2XWaY/ |
| | 1C | 2C | 3C | 3.5C | 4C | 1C | 2C | 3C | 3.5C | 4C | |
| 4.0 | - | 74 | 93 | - | 111 | - | 128 | 145 | - | 170 | |
| 6.0 | - | 103 | 123 | - | 150 | - | 168 | 181 | - | 217 | |
| 10.0 | - | 140 | 168 | - | 197 | - | 197 | 231 | - | 262 | |
| 16.0 | 76 | 138 | 189 | - | 250 | 139 | 201 | 239 | - | 313 | |
| 25.0 | 118 | 208 | 281 | 357 | 375 | 181 | 265 | 324 | 382 | 406 | |
| 35.0 | 146 | 273 | 387 | 419 | 465 | 215 | 311 | 426 | 460 | 520 | |
| 50.0 | 187 | 342 | 477 | 569 | 622 | 260 | 395 | 549 | 620 | 692 | |
| 70.0 | 248 | 493 | 686 | 776 | 894 | 333 | 554 | 738 | 827 | 942 | |
| 95.0 | 326 | 573 | 835 | 987 | 1064 | 370 | 665 | 905 | 1051 | 1154 | |
| 120.0 | 390 | 714 | 1090 | 1269 | 1291 | 447 | 810 | 1150 | 1311 | 1436 | |
| 150.0 | 469 | 888 | 1258 | 1485 | 1600 | 526 | 1016 | 1338 | 1518 | 1710 | |
| 185.0 | 576 | 1059 | 1585 | 1899 | 1979 | 644 | 1213 | 1684 | 1948 | 2160 | |
| 240.0 | 680 | 1386 | 2046 | 2279 | 2638 | 818 | 1552 | 2146 | 2463 | 2770 | |
| 300.0 | 847 | 1693 | 2507 | 2954 | 3213 | 1006 | 1891 | 2654 | 3056 | 3495 | |
| 400.0 | 1063 | 2114 | 3128 | 3692 | 4230 | 1269 | 2327 | 3422 | 3866 | 4410 | |
| 500.0 | 1391 | 2602 | 4194 | 4917 | 5584 | 1550 | 3117 | 4400 | 5100 | 5900 | |
| 630.0 | 1747 | 3314 | 5524 | 6522 | 7473 | 1909 | 3924 | 5745 | 6790 | 7803 | |
| 800.0 | 2220 | - | - | - | - | 2378 | - | - | - | - | |
| 1000.0 | 2856 | - | - | - | - | 3005 | - | - | - | - | |

Additional to be charged for Special Construction

| | | | | | | | | | |
|------------------------------------|-------|---|----------------------|--|------------------------|--------------|--------|----|--------|
| A) Stranding (upto 10.0 Sq.mm) | 10% | H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) : | | | | | | | |
| B) Round Wire Armouring | | Size | FR-LSH | | LSZH | | | | |
| | | | Inner Sheath | Outer Sheath | Inner Sheath | Outer Sheath | | | |
| | | | 1. 1C x 95.0 & above | 30% | Upto 1C x 16.0 | NA | 15% | NA | 37.50% |
| | | | 2. 2C x 16.0 & above | 30% | 1C x 25.0 to 1C x 50.0 | NA | 15% | NA | 30% |
| | | | 3. 3C x 16.0 & above | 30% | 1C x 70.0 & above | NA | 11.50% | NA | 26.0% |
| 4. 3.5C x 25.0 & above | 30% | Multicore upto 16.0 | 15% | 11.5% | 22.5% | 30% | | | |
| 5. 4C x 10.0 & above | 30% | | | | | | | | |
| C) Oxygen Index (FR) | 4.0% | Multicore 25.0 to 50.0 | 11.5% | 11.5% | 18.0% | 22.5% | | | |
| D) PVC Insulation (as per IS 1554) | 12% | Multicore 70.0 & above | 7.5% | 7.5% | 22.5% | 18% | | | |
| E) HR PVC Insulation | 15% | I) Extruded PVC Inner Sheath : | | * MOQ will be applicable for all Special Items | | | | | |
| F) HR PVC Inner Sheath | 7.50% | 1. Upto 50.0 Sq.mm. | 5% | | | | | | |
| G) HR PVC Outer Sheath | 7.50% | 2. 70.0 Sq.mm. & above | 2.5% | | | | | | |

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED

RRKL/HT-ALSC/LP/07/22

w.e.f. 05th July , 2022

PRICE LIST
HT Single Core Power Cables

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

| Size (in Sq.mm) | RATE PER METER (INR) | | | | | | | | | | | |
|-----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| | 3.3 KV (UE) / 6.6 KV (E) | | 6.6 KV (UE) / 11 KV (E) | | 11 KV (UE) | | 22 KV (E) | | 33 KV (E) | | 33 KV (UE) | |
| | Al. Flat Strip Armour | Al. Round Wire Armour | Al. Flat Strip Armour | Al. Round Wire Armour | Al. Flat Strip Armour | Al. Round Wire Armour | Al. Flat Strip Armour | Al. Round Wire Armour | Al. Flat Strip Armour | Al. Round Wire Armour | Al. Flat Strip Armour | Al. Round Wire Armour |
| 240.0 | 1101 | 1155 | 1210 | 1270 | 1370 | 1442 | 1402 | 1477 | 1803 | 1900 | 2065 | 2176 |
| 300.0 | 1261 | 1331 | 1388 | 1465 | 1561 | 1643 | 1597 | 1681 | 2132 | 2247 | 2295 | 2418 |
| 400.0 | 1533 | 1616 | 1664 | 1751 | 1853 | 1949 | 1894 | 1992 | 2446 | 2570 | 2589 | 2723 |
| 500.0 | 1957 | 2062 | 2029 | 2132 | 2328 | 2448 | 2328 | 2448 | 2882 | 3036 | 3004 | 3166 |
| 630.0 | 2364 | 2491 | 2428 | 2555 | 2751 | 2892 | 2751 | 2892 | 3352 | 3527 | 3490 | 3672 |
| 800.0 | 2939 | 3090 | 2979 | 3222 | 3295 | 3469 | 3295 | 3469 | 3967 | 4174 | 4140 | 4353 |
| 1000.0 | 3476 | 3659 | 3817 | 4021 | 4084 | 4295 | 4084 | 4295 | 4854 | 5089 | 5218 | 5491 |

Additional to be charged for Special Construction

| | |
|------------------------------|-------|
| A) FR-LSH PVC Inner Sheath - | 11.5% |
| B) FR-LSH PVC Outer Sheath - | 7.5% |
| C) Oxygen Index - | 4.5% |

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

| RR KABEL LIMITED | | | | | | |
|---|--------------------------|---------------------------|------------------------|-------------|-------------|--------------|
| RRKL/HT-AL3C/LP/07/22 | | | w.e.f. 05th July, 2022 | | | |
| PRICE LIST | | | | | | |
| HT 3 Core Power Cables | | | | | | |
| RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments. | | | | | | |
| Size (in Sq.mm) | 3.3 KV (UE) / 6.6 KV (E) | 6.6 KV (UE) / 11 KV (E) | 11 KV (UE) | 22 KV (E) | 33 KV (E) | 33 KV (UE) |
| 35.0 | - | 1051 | - | - | - | - |
| 50.0 | - | 1236 | - | - | - | - |
| 70.0 | 1389 | 1480 | - | - | - | - |
| 95.0 | 1567 | 1712 | 2156 | 2373 | 3100 | - |
| 120.0 | 1897 | 2030 | 2553 | 2634 | 3400 | - |
| 150.0 | 2227 | 2348 | 2819 | 3009 | 3800 | 4335 |
| 185.0 | 2554 | 2710 | 3232 | 3360 | 4155 | 4757 |
| 240.0 | 3114 | 3270 | 3918 | 4060 | 4826 | 5266 |
| 300.0 | 3723 | 3870 | 4469 | 4600 | 5340 | 6019 |
| 400.0 | 4722 | 4829 | 5225 | 5450 | 6400 | 7164 |
| Additional to be charged for Special Construction | | | | | | |
| A) Extruded PVC Inner Sheath - | | | 4.5% | | | |
| B) Pressure Extruded PVC Inner Sheath - | | | 19.5% | | | |
| C) Round Wire Armouring - Upto 11 K\ | | | 30% | | | |
| D) Round Wire Armouring - Upto 11 KV (UE) & above - | | | 33% | | | |
| E) FR-LSH PVC Inner Sheath - | | | 7.5% | | | |
| F) FR-LSH PVC Outer Sheath - | | | 7.5% | | | |
| G) Oxygen Index (FR Sheath) - | | | 4.5% | | | |
| Terms & Conditions: | | | | | | |
| > The above rates are exclusive of GST & any other statutory levies, which shall be charged extra. | | | | | | |
| > Freight will be Extra as applicable | | | | | | |
| Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist. | | | | | | |
| THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE | | | | | | |