

RR KABEL LIMITED

RRKL/CU-ARM-UAR/LP/04/24

w.e.f. 12th April, 2024

PRICE LIST

POWER CABLES (COPPER ARMoured / UNARMoured)

RR KABEL make Power/Control Cables, Solid Copper Conductor upto 6.0 Sq.mm balance Stranded, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 10Cx1.5 sq.mm, 8Cx2.5 sq.mm, 2Cx10.0 sq.mm, 3Cx10.0 Sq.mm, 4Cx6.0 Sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN CODE : 8544)

Rate Per Meter (INR)

(UNARMoured CABLES) (2XY)						(ARMoured CABLES) (2XWY / 2XFY)					
No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5	No. of Cores	1.5	2.5
2	152	230	14	708	1272	2	195	275	14	855	1337
3	210	323	16	852	1457	3	243	355	16	960	1518
4	270	421	19	1021	1726	4	300	445	19	1140	1790
5	324	511	24	1292	2179	5	360	530	24	1427	2240
6	385	608	27	1413	2571	6	421	628	27	1570	2670
7	440	700	30	1677	3050	7	470	713	30	1750	3210
8	540	749	37	2262	3656	8	606	822	37	2365	3750
10	642	898	44	2700	4360	10	685	990	44	2820	4380
12	675	1099	61	3950	6000	12	750	1150	61	4150	6350

Size (Sq.mm)	(UNARMoured CABLES) (2XY)					(ARMoured CABLES) (2XWaY/2XFaY) (2XWY / 2XFY)							
	1 Core	2 Core	3 Core	3.5 Core	4 Core	1 Core	2 Core	3 Core	3.5 Core	4 Core	5 Core	6 Core	7 Core
4.0	-	317	451	-	559	-	373	500	-	640	900	1080	1250
6.0	-	450	653	-	790	-	510	705	-	905	1210	1480	1700
10.0	-	785	1082	-	1290	-	815	1119	-	1465	1990	-	-
16.0	608	1090	1679	-	2107	727	1190	1750	-	2258	2730	-	-
25.0	920	1816	2525	3008	3306	1014	1956	2670	3200	3520	4800	-	-
35.0	1273	2515	3386	3956	4532	1376	2680	3620	4195	4776	6500	-	-
50.0	1743	3450	4655	5594	6188	1861	3500	4948	5840	6620	8900	-	-
70.0	2482	4920	6834	7901	8975	2614	5200	7200	8214	9380	14000	-	-
95.0	3384	6725	9637	11320	12944	3474	7186	9840	11374	13400	-	-	-
120.0	4265	8500	11799	15000	16800	4371	8568	12620	15500	16926	-	-	-
150.0	5329	10600	15800	18250	21000	5438	10727	16050	18750	21500	-	-	-
185.0	6540	12805	19500	22800	26000	6685	13279	20400	23870	27250	-	-	-
240.0	8450	16395	25485	29771	34451	8590	17107	26500	30810	35154	-	-	-
300.0	10540	20429	31607	36705	42545	10710	21667	33400	38626	44700	-	-	-
400.0	13850	27267	39400	44879	55973	14000	29474	42900	48820	59761	-	-	-
500.0	17500	-	-	-	-	17700	-	-	-	-	-	-	-
630.0	22000	-	-	-	-	22300	-	-	-	-	-	-	-
800.0	28000	-	-	-	-	28300	-	-	-	-	-	-	-
1000.0	35000	-	-	-	-	35300	-	-	-	-	-	-	-

Additional to be charged for Special Construction

A) Tinning	3%	G) HR PVC Insulation	10%	As per the international practice which is also adopted by BIS, the size of the conductor is decided by its resistance only. The construction of the conductor mentioned in the Price List are only for guidelines and as per market convention, it may vary within the prescribed limit of IS:8130-1994, with related classes and tables.			
B) Stranding (upto 6.0 Sq.mm)	4%	H) HR PVC Inner Sheath	7.5%				
C) Extruded Inner Sheath	4.0%	I) HR PVC Outer Sheath	7.5%				
D) Round Wire Armouring:		J) FR-LSH Outer Sheath (Power Cables)					
1. 1C x 95.0 Sq.mm & above	9.0%	Upto 6.0 Sq.mm	11.5%				
2. 12C x 1.5 Sq.mm & above	18%	10.0 Sq.mm & above	6%				
3. 9C x 2.5 Sq.mm & above	18%	K) FR-LSH / LSZH Loading - Control Cables (Inner / Outer Sheath)		* MOQ will be applicable for all Special Items			
4. 4C x 10.0 Sq.mm & above	18%	Cores	FR-LSH		LSZH		
5. 2C x 16.0 & above	18%		Inner Sheath		Outer Sheath	Inner Sheath	Outer Sheath
6. 3C x 16.0 & above	18%	2C to 4C	7.5%		9%	22.5%	22.5%
E) Oxygen Index (FR)	4.0%	5C to 10C	7.5%	6%	22.5%	22.5%	* The above material will be supplied from our Waghodia Unit.
F) PVC Insulation (as per IS 1554)	7.5%	12C & above	7.5%	6%	18.0%	18.0%	

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies which shall be charged extra.

> Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED
RRKL/AL-ARM-UAR/LP/04/24
w.e.f. 12th April, 2024
PRICE LIST
POWER CABLES (AL. ARMoured / UNARMoured)

RR KABEL make Power Cables, Solid Aluminum conductor upto 10.0 sq.mm balance stranded conductor, XLPE Insulated, cores laid up, PVC tape inner sheathed for Multicore Cables, Unarmoured / Armour (1. Single core Cables - Aluminium wire upto 70.0 sq.mm balance Aluminum strip, 2. Galvanised wire for cables upto 2Cx10.0 sq.mm, 3Cx10.0 sq.mm, 4Cx6.0 sq.mm balance all galvanised steel strip), extruded PVC Type ST2 sheathed, 650/ 1100 V grade as per IS 7098 (Part 1) 1988. (HSN Code : 8544)

Size (in Sq.mm)	CORES / RATE PER METER (INR)									
	(UNARMoured CABLES) (A2XY)					(ARMoured CABLES) (A2XWaY/ A2XFaY) (A2XWY / A2XFY)				
	1C	2C	3C	3.5C	4C	1C	2C	3C	3.5C	4C
4.0	-	96	120	-	144	-	172	184	-	216
6.0	-	134	159	-	194	-	208	228	-	272
10.0	-	194	217	-	255	-	264	294	-	374
16.0	90	197	245	-	324	162	300	316	-	400
25.0	130	255	345	438	460	213	320	405	470	503
35.0	168	335	475	514	570	258	400	535	594	677
50.0	216	420	585	697	763	318	517	696	805	905
70.0	298	605	842	952	1096	407	692	954	1085	1230
95.0	383	717	1024	1211	1306	488	856	1175	1354	1533
120.0	477	894	1338	1557	1617	566	1021	1431	1696	1870
150.0	589	1112	1573	1822	2002	675	1256	1756	2010	2299
185.0	730	1326	1983	2330	2477	829	1510	2176	2545	2828
240.0	926	1734	2560	2852	3236	1025	2002	2778	3195	3651
300.0	1145	2119	3138	3696	3941	1261	2453	3432	3932	4500
400.0	1474	2645	3914	4619	5190	1593	3185	4387	5023	5786
500.0	1852	3373	5436	6373	7238	1984	4300	5770	7100	8000
630.0	2293	4295	7160	8454	9686	2448	5290	7700	8700	10500
800.0	2863	-	-	-	-	3009	-	-	-	-
1000.0	3610	-	-	-	-	3700	-	-	-	-

Additional to be charged for Special Construction

A) Stranding (upto 10.0 Sq.mm)	10%	H) FR-LSH / LSZH Loading - (Inner / Outer Sheath) :								
B) Round Wire Armouring		Size	FR-LSH		LSZH					
			1. 1C x 95.0 & above 2. 2C x 16.0 & above 3. 3C x 16.0 & above 4. 3.5C x 25.0 & above 5. 4C x 10.0 & above	30%	Inner Sheath	Outer Sheath	Inner Sheath	Outer Sheath		
					Upto 1C x 16.0		NA	15%	NA	37.50%
					1C x 25.0 to 1C x 50.0		NA	15%	NA	30%
					1C x 70.0 & above		NA	11.50%	NA	26.0%
					Multicore upto 16.0		15%	11.5%	22.5%	30%
Multicore 25.0 to 50.0		11.5%			11.5%	18.0%	22.5%			
C) Oxygen Index (FR)	4.0%	Multicore 70.0 & above		7.5%	7.5%	22.5%	18%			
D) PVC Insulation (as per IS 1554)	12%	I) Extruded PVC Inner Sheath :								
E) HR PVC Insulation	15%	1. Upto 50.0 Sq.mm.		5%	* MOQ will be applicable for all Special Items					
F) HR PVC Inner Sheath	7.50%	2. 70.0 Sq.mm. & above		2.5%						
G) HR PVC Outer Sheath	7.50%									

Terms & Conditions:

- > The above rates are exclusive of GST & any other statutory levies which shall be charged extra.
- > Freight will be Extra as applicable

Note: This is revised Price List, hence our all previous Price Lists, Discount Policies are hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE

RR KABEL LIMITED												
RRKL/HT-ALSC/LP/04/24										w.e.f. 12th April, 2024		
PRICE LIST												
HT Single Core Power Cables												
RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Al Flat / Round Wire Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.												
Size (in Sq.mm)	RATE PER METER (INR)											
	3.3 KV (UE) / 6.6 KV (E)		6.6 KV (UE) / 11 KV (E)		11 KV (UE)		22 KV (E)		33 KV (E)		33 KV (UE)	
	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour	Al. Flat Strip Armour	Al. Round Wire Armour
240.0	1464	1536	1609	1689	1822	1918	1865	1964	2398	2527	2746	2894
300.0	1677	1770	1846	1948	2076	2185	2124	2236	2835	2988	3052	3216
400.0	2039	2149	2213	2329	2464	2592	2519	2649	3253	3418	3443	3621
500.0	2603	2742	2698	2835	3096	3256	3096	3256	3833	4037	3995	4210
630.0	3144	3313	3229	3398	3658	3846	3658	3846	4458	4690	4641	4883
800.0	3908	4109	3962	4285	4382	4613	4382	4613	5275	5551	5505	5789
1000.0	4622	4866	5076	5347	5431	5711	5431	5711	6455	6767	6939	7302
Additional to be charged for Special Construction												
A) FR-LSH PVC Inner Sheath -			11.5%									
B) FR-LSH PVC Outer Sheath -			7.5%									
C) Oxygen Index -			4.5%									
Terms & Conditions:												
> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.												
> Freight will be Extra as applicable												
Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.												
THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE												

RR KABEL LIMITED

RRKL/HT-AL3C/LP/04/24

w.e.f. 12th April, 2024

PRICE LIST
HT 3 Core Power Cables

RR KABEL make, Stranded Compact Circular Aluminium Conductor, Conductor Screen with Extruded Semi Conducting Compound, XLPE Insulated, Insulation Screening with Extruded Semi Conducting Compound in Combination with Copper Tape, Cores laid up, Inner Sheath of PVC tape, GI Flat Strip Armour, Overall PVC Sheathed HT Power Cables, Conforming to IS 7098 (Part II) 2011 with Latest Amendments.

Size (in Sq.mm)	3.3 KV (UE) / 6.6 KV (E)	6.6 KV (UE) / 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)	33 KV (UE)
35.0	-	1352	-	-	-	-
50.0	-	1616	-	-	-	-
70.0	1817	1968	-	-	-	-
95.0	2050	2233	3018	3080	4080	-
120.0	2482	2695	3391	3460	4600	-
150.0	2914	3157	3889	3968	4944	5350
185.0	3342	3600	4390	4480	5520	5950
240.0	4075	4362	5182	5288	6520	6900
300.0	4872	5160	6076	6200	7360	8100
400.0	6178	6456	7370	7520	8920	9380

Additional to be charged for Special Construction

A) Extruded PVC Inner Sheath -	4.5%
B) Pressure Extruded PVC Inner Sheath -	19.5%
C) Round Wire Armouring - Upto 11 KV	30%
D) Round Wire Armouring - Upto 11 KV (UE) & above -	33%
E) FR-LSH PVC Inner Sheath -	7.5%
F) FR-LSH PVC Outer Sheath -	7.5%
G) Oxygen Index (FR Sheath) -	4.5%

Terms & Conditions:

> The above rates are exclusive of GST & any other statutory levies, which shall be charged extra.

> Freight will be Extra as applicable

Note: This is Revised Price List, hence our previous Price List, Discount Policy is hereby ceased to exist.

THE PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE